

# SeaPerch International Challenge SeaPerch North Africa 2026



**Arab Republic Of Egypt** 

March 27-29, 2026

**HANDBOOK** 



# **Table of Content**

2026 North Africa SeaPerch Challenge

Introduction	5
SECTION 1: Competition Overview	6
1.1. Dates & Venue	6
1.2. 2026 Theme	6
1.3. Design Documentation & On-Site Elements	6
1.3.1. Design Documentation	6
Real-World Innovation Poster (Optional)	7
Community Outreach Project (Optional)	7
1.3.2. On-site Elements	7
Pool Courses	7
On-site Team Presentation	7
1.4. Season Schedule/Timeline	7
1.5. Eligibility & Qualification	7
1.5.1. Age Level Eligibility	8
1.5.2. Qualifying at Regional Competitions	8
1.6. Team Registration	8
1.6.1. Competition Classes	8
1.6.2. Registration Components	9
1.6.3. Registration Fees	9
1.7. Spectator Tickets	9
1.8. Communications	9
1.8.1. 2026 SeaPerch Challenge Website	9
1.8.2. Points of Contact	9
SECTION 2: Pool Courses	10
2.1. Pool Course Events Overview	10
2.2. Lane Setup	10
2.3. ROV Power	11
2.4. Timing	11
2.4.1. Obstacle Course Timing	11
2.4.2. Mission Course Timing	11
2.5. Obstacle Course	11
2.5.1 Navigation Overview	13
2.6. Mission Course	14
2.6.1. Course Layout	14



2.6.2. Navigation Overview	16
2.6.3. Scoring Overview	17
Task Points	17
Time Bonus Points	17
Scoresheet	18
2.6.4.Task 1: Bucket Access	18
2.6.5. Task 2: Survey the Dam	19
2.6.6. Task 3: Clear the Debris Field	20
Task 3.1: Retrieve and place marine life on the Back Platform	20
Task 3.2 and 3.3: Lift and place heavy pieces of submerged debris on a hook on the Surface Vessel	
2.6.7. Task 4: Sample Water Quality	21
2.7. General Pool Events Rules	22
2.7.1. ROV, Spare Parts, and Adjustments	22
2.7.2. Auxiliary Equipment, Batteries, and Power Supply	23
2.7.3. Diver Assistance and ROV Tether Handling	23
2.7.4. On Deck	23
2.7.5. Equipment Failure	24
2.7.6. Disputes, Challenges, and Redress Request	25
SECTION 3: Design Documentation	26
3.1. Technical Design Report	26
3.1.1. Overview	26
3.1.2. Report Contents	27
3.1.3. Scoring	28
3.2. Meet the team	28
3.2.1. Overview	29
3.2.2. Content	29
3.2.3. Scoring	30
3.3. Real-World Innovation Poster (Optional)	30
3.3.1. Overview	30
3.3.2. Content	30
3.3.3. Scoring	31
3.4. Community Outreach Project (Optional)	
3.4.1. Overview	31
3.4.2. Content	31
3.4.3. Submission Instructions	32
3.4.4. Scoring	32
SECTION 4: On-site Pitching	33
SECTION 5: Scoring & Awards	34



5.1. Competition Awards	34
5.2. Special Awards	34
SECTION 6: Appendices	36
6.1. Appendix A: Competition Scoresheets & Rubrics	36
6.2. Appendix B: Compliance Checklist	36
6.2.1. Design Compliance	37
6.3 Annendix C: Competition Classes Overview	38



# Introduction

## Welcome to the North Africa SeaPerch Challenge!

This Team Handbook contains information that teams need to compete at the North Africa SeaPerch Challenge. It includes task descriptions, rules and requirements, and other guidance and specifications. Teams are encouraged to read this document for a thorough understanding of what is necessary to compete effectively.

### What is SeaPerch Challenge?

The annual SeaPerch Challenge is an invitation-only event open to teams that excel at registered regional competitions and earn a slot to compete in the season's culminating event.

On land, teams show off their engineering skills through technical papers and presentations. In the pool, they navigate their SeaPerch remotely operated vehicle (ROV) through a series of obstacles inspired by the real world that test maneuverability, control, and utility. Each season has a new theme and a new set of competition tasks, challenging teams to expand on their original vehicle design.

Beyond the friendly rivalry, all competitions bring students together from different schools, states, and countries to form a supportive community.

## Why compete in the North Africa SeaPerch Challenge?

The goals of the RoboNation student competitions are to provide opportunities for students to experience real-world engineering challenges and to develop the skills needed to solve those challenges. The objective is to produce the people who will push the envelope in the future. Competitors gain an appreciation for the tradeoffs inherent in any system design and the lessons learned in transitioning from a working bench prototype to operating reliably in the real world.

#### **International SeaPerch Challenge Organizer**



**North Africa SeaPerch Challenge Organizers** 







# **SECTION 1: Competition Overview**

#### 1.1. Dates & Venue

The 2026 North Africa SeaPerch Challenge will be conducted March 27-29, 2026.

#### 1.2. 2026 Theme

The 2026 Theme: Storm Response — Technology in Action for Recovery and Relief Storms can cause severe damage to coastal areas, underwater environments, and critical infrastructure. This year's theme focuses on how technology can support disaster recovery and relief efforts. Teams are encouraged to:

- **Design underwater robots** for disaster recovery and relief missions.
- Explore how technology aids in rescue operations and the restoration of systems after storms.
- Apply creativity, engineering, and problem-solving to develop innovative solutions for real-world challenges.

## 1.3. Design Documentation & On-Site Elements

The 2026 North Africa SeaPerch Challenge includes pre-event online submissions as well as on-site events.

#### 1.3.1. Design Documentation

#### **Technical Design Report (Required)**

A Technical Design Report (TDR) succinctly describes your unique SeaPerch ROV and the engineering design process, providing insight into the iterative design process and allowing for data analysis that supports the final ROV design.

#### Meet the Team (Required)

We want to get to know you! Share your team or school's logo, an overview of what your team is all about, and social media information so we can share it with the SeaPerch community. This is your chance to introduce us to your team and team's personality.

#### Real-World Innovation Poster (Optional)

This event challenges teams to explore real-world applications for underwater ROVs. Teams are invited to identify a real-world issue and design a SeaPerch ROV to address the issue. To present



their project, teams will create a virtual poster. These posters may include anything from a conceptual design to a full project conducted in the real world.

#### **Community Outreach Project (Optional)**

Whether you volunteer your time in your community, or your team finds a way to connect and offer support online, we want to hear about it.

#### 1.3.2. On-site Elements

#### **Pool Courses**

- Obstacle Course: The Obstacle Course tests high-speed maneuverability and requires the SeaPerch ROV to navigate the course as quickly as possible.
- Mission Course: The Mission Course incorporates a mission that teams must complete with their SeaPerch ROV related to Deep-Sea Exploration.

#### **On-site Team Presentation**

Presentations are a great opportunity for teams to share their SeaPerch experience and practice their academic presentation skills.

## 1.4. Season Schedule/Timeline

Event	Date	
Registration	1 Nov 2025 - 30 Jan 2026	
Training	25 Nov 2025 - 5 Jan 2026	
Regional Competition	March 27-29, 2026	

# 1.5. Eligibility & Qualification

The annual SeaPerch Challenge is an invitation-only event open to student teams from anywhere in the world that have been awarded a slot by winning at an approved regional competition. Elementary School, Middle School, and High School students are eligible to compete.

## 1.5.1. Qualifying at Regional Competitions

Compete and win in a regional competition to qualify for the International SeaPerch Challenge. Regional competitions are planned, hosted, and executed by local SeaPerch advocates, mentors, and regional



coordinators. Each registered regional competition is allocated a set number of qualifier spaces for the International SeaPerch Challenge.

SeaPerch competitions are hosted annually by volunteer coordinators around the world. These events range from local exposition events to regional competitions that allocate qualifying spaces for top teams to compete at the annual International SeaPerch Challenge.

## 1.6. Team Registration

## 1.6.1. Competition Classes

The 2026 International SeaPerch Challenge will include three (3) competition classes.

## 1.6.2. Registration Components

All teams SeaPerch West Asia teams' registration is through SeaPerch West Asia official website.

Registration has 2 important steps to go through

- The initial <u>registration form</u> includes team data and payment.
- Team Dashboard in which you can complete all members data. (you can access dashboard by clicking on <a href="login button">login button</a> and enter the team account data you registered with)

Make sure to understand <u>registration instructions</u> before starting to register.

## 1.6.3. Registration Fees

To complete the North Africa SeaPerch Challenge registration, teams must pay the registration fees and register each competitor. Teams are limited to 4 students and 1 Supervisor.

• ROV Registration Fee: \$450 USD per team including registration and full kit.

# 1.7. Challenge Classes

#### Middle School Stock Class:

- Teams include students in 8<sup>th</sup> grade and below
- The total cost of modifications to the final ROV must be \$25 or less
- Frame built using only PVC, CPVC, PEX or other plastic pipe and fittings. Any size pipes and pipe fittings may be used. Pipes and pipe fittings may be modified using hand and power tools, but may not be machined using CNC or other automated process.
- Must only use simple on/off switches for thruster controls
- May use a fixed or variable resistor to reduce voltage
- May not use buck converters or any other electronic circuit to reduce or increase voltage
- May use PWM, microcontrollers, or other devices for non-thruster controls



#### **High School Stock Class:**

- Teams that include any students in 9th grade and above
- The total cost of modifications to the final ROV must be \$25 or less
- Frame built using only PVC, CPVC, PEX, or other plastic pipe and fittings. Any size pipes and pipe fittings may be used. Pipes and pipe fittings may be modified using hand and power tools, but may not be machined using CNC or other automated process.
- Must only use simple on/off switches for thruster controls
- May use a fixed or variable resistor to reduce voltage
- May not use buck converters or any other electronic circuit to reduce or increase voltage
- May use PWM, microcontrollers, or other devices for non-thruster controls

#### **Open Class:**

- Teams can include students of any grade
- Open Class must have at least one of the following qualifiers:
  - The cost of modifications may exceed \$25
  - Frame may include 3D printed or additive manufactured parts as well as other materials, and may be made using CNC machinery or other automated process.
  - May include more than 3 thrusters (i.e., motor and propeller assembly)
  - May use power conditioning or pulse-width modulation (PWM) controls for thruster controls

#### 1.8. Communications

## 1.8.1. 2026 SeaPerch Challenge Website

The official competition website is the <u>2026 SeaPerch Season</u>. This website includes all official documents and a detailed list of the registered Challenge teams. Helpful resources, past competition results, and other engagement opportunities can be found on this website. Information and documents are updated regularly, and it is the team's responsibility to check the website for updates.

#### 1.8.2. Points of Contact

SeaPerch Questions: info@seaperchnorthafrica.org



# **SECTION 2: Pool Courses**

2026 International SeaPerch Challenge

#### 2.1. Pool Course Events Overview

The competition will include two in-pool courses:

- The Obstacle Course tests high-speed maneuverability and requires the SeaPerch ROV to navigate the course as quickly as possible.
- The Mission Course incorporates a mission that teams must complete related to underwater environmental monitoring and coral reef restoration.


## 2.2. Lane Setup

Courses will be suspended from the pool's lane dividers with the lower course frames approximately 5-6 feet below the water surface and 5-6 feet from the side of the pool.

The obstacle course and mission course will be arranged beside each other and considered a single competition lane. The pool will include eight (8) competition lanes to accommodate eight (8) teams simultaneously. Competition lanes will be separated by a vacant pool lane (i.e. no course). Each team will have sole use of their assigned competition lane for their allotted time slot.



Competition Lane Setup



#### 2.3. ROV Power

12-volt direct current (VDC) power connections for the standard SeaPerch power cable alligator clips will be supplied for each competition lane. See 2.7.2. Auxiliary Equipment, Batteries, and Power Supplies for more information.



## **2.4. Timing**

Teams have 20 minutes to complete Pool Course runs. After the course judge verifies the team and provides instructions, a 20-minute course timer will start. Teams are responsible for managing their time and may take as much time as needed for setup and reset within the twenty minutes allocated. When the course timer expires and reaches zero, the team must depart the Pool Course.

Runs will be timed using a run timer. The run timer starts when the run starts and records the official run times. Teams may start subsequent runs immediately after completing a prior run but receive a start signal from the judge to ensure the run will be scored. Teams may abort runs at any time without completing the course if they are experiencing problems and want to ensure they have enough time for subsequent runs. A run ends when the run time expires, the team has aborted the run, or the team has completed the course (whichever comes first). Guidelines for obstacle course and mission course runs are below.

## 2.4.1. Obstacle Course Timing

- Teams may attempt up to two (2) runs.
- Each run is limited to four (4) minutes maximum.

### 2.4.2. Mission Course Timing


- Teams may attempt one (1) run on the mission course.
- The mission course time limit is eight (8) minutes maximum.


#### 2.5. Obstacle Course

The Obstacle Course consists of five 18" hoops oriented at different angles and suspended 5-6 feet below the water surface.


Please note that there is no guarantee of the position of the hoops when the course is deployed in the pool at the International SeaPerch Challenge and may not appear as pictured below. Operators should not try to memorize actions such as in playing a video game but should instead practice a variety of general high-speed maneuvers.







Suspended Obstacle Course



Placement of sensors in their respective sensing location.

# 2.5.1 Navigation Overview



- Start of run: The ROV must be under its own power and surfaced within the outline of the surface vehicle. Team members are not allowed to touch the ROV after the lane judge begins the countdown to start the run.
- The ROV is required to pass through each of the five obstacle course hoops in order starting at the hoop closest to the pool wall.
- The ROV must surface after clearing the hoop furthest from the pool wall. Surfacing is considered complete when any part of the ROV breaks the surface of the water.
- The ROV must re-submerge and head back to the pool wall by passing through each of the five hoops in reverse order.
- End of run: The run is complete with the ROV surfaces (any part of the ROV breaks the surface of the water) within the outline of the surface vehicle located next to the pool wall. The run will end if the allotted time expires even if the ROV has not completed the course.



Start of Run







End of Run - ROV Surfaced

Teams are ranked based on time. The obstacle course scoresheet is available in <u>Appendix A: Competition</u> <u>Scoresheets and Rubrics</u>



## 2.6. Mission Course

The Mission Course consists of four tasks across two task frames and will be suspended 5-6 feet below the water surface (see course layout on next page). Tasks are described in detail below and include:

Task 1: Inspect the Bridge


• Task 2: Survey the Dam

Task 3: Clear the Debris Field

• Task 4: Sample Water Quality

## 2.6.1. Course Layout

The Mission Course consists of a surface vehicle located next to the pool wall, two task frames that will be suspended 5-6 feet below the water surface, and a smaller task frame suspended below the front frame.






#### **Surface Vehicle**

A PVC structure representing a surface vehicle will be placed by the pool wall where team members and judges are positioned. This structure will serve as the <u>start and end point of Mission Course runs</u>.


One plug (Task 2) will hang below the surface vehicle structure.





#### **Front Platform**


The front platform is the platform closest to the pool wall. This platform includes the broken bridge pillars and the broken pipe (Task 1). At the start of the run, marine life will be positioned on the platform (Task 3).





#### **Back Platform**

The back platform includes the wall of a dam (Task 2), the heavy submerged debris (Task 3), and Water Sampler (Task 4).



## 2.6.2. Navigation Overview

- Start of run: The ROV must be under its own power and surfaced within the outline of the surface vehicle. Team members are not allowed to touch the ROV after the lane judge begins the countdown to start the run. The tether cable does not have to go through the open area of the surface vehicle. Teams are allowed to position the surface vehicle along the wall within the lane.
- Objects falling past the suspended task frames are out of play and the ROV is not allowed to attempt to retrieve them.
- End of run: The run is complete with the ROV surfaces (any part of the ROV breaks the surface of the water) within the outline of the surface vehicle located next to the pool wall.

The run will end if the allotted time expires even if the ROV has not completed the course.







**ROV Not Surfaced** 

End of Run - ROV Surfaced

The ROV may transport multiple objects simultaneously. Objects may be moved between platforms for staging without completing the task. (For example, the coral samples can be moved to the bin after completing other tasks.)

Tasks may be completed in any order with the following exceptions:

## 2.6.3. Scoring Overview

A maximum of 110 points can be earned on the Mission Course through successfully completing tasks with bonus points awarded for completion of the course under a time limit. Points are not official until verified by the master scorekeeper.

#### **Task Points**

Tasks can be completed for a total of 100 points divided across the tasks as follows:

- Task 1: Inspect the Bridge has a max of 26 points
- Task 2: Survey the Dam has a max of 24 points
- Task 3: Clear the Debris Field has a max of 38 points
- Task 4: Sample Water Quality has a max of 12 points

Points will be earned at completion of each task action. If tasks are disturbed in subsequent actions, teams will still earn the points for completion.

#### **Time Bonus Points**

Teams may earn bonus points for successfully completing all tasks in less than 6 minutes. Bonus points are based on adjusted finished time including any time penalties incurred during the run. Bonus points are applied for:

- Finish times less than 4 minutes earn teams 10 points
- Finish times less than 6 minutes earn teams 5 points



#### Scoresheet

The mission course scoresheet is available in <u>Appendix A: Competition Scoresheets & Rubric-Mission Course Scoresheet</u>

#### 2.6.4.Task 1: Bucket Access


Task 1: Inspect the Bridge

The ROV must navigate bridge supports, retrieve the red marker float, fix the broken pipe, and release the green marker float. At the start of the run, the red marker float will be floating above the back right bridge pillar, the green marker float will be hooked on the front left bridge pillar, and the broken pipe will be uncovered. All Task 1 elements are located on the Front Platform


**Task 1.1:** Retrieve the red marker float, and hook on the back right bridge pillar.

**Task 1.2:** Slide the cover pipe to the left to fix the support beam.

Task 1.3: Release the green marker float at the front left bridge pillar.




Task 1.1: Retrieve the red marker float, and hook on the back right bridge pillar.



Task 1.2: Slide the cover pipe to the left to fix the support beam.





Task 1.3: Release the green marker float at the front left bridge pillar.

## 2.6.5. Task 2: Survey the Dam

The ROV must move the plug to the hole in the dam, and rotate the cover to close the flood gate. At the start of the run, the red plug will be located on a hook on the Surface Vessel, and the red flood gate will be located on the slanted dam wall on the Back Platform.

Task 2.1: Lift and place the plug in the hole on the slanted dam wall.

**Task 2.2**: Rotate the flood gate cover to close the flood gate.



Task 2.1: Lift and place the plug in the hole on the slanted dam wall.






Task 2.2: Rotate the flood gate cover to close the flood gate.

## 2.6.6. Task 3: Clear the Debris Field


The ROV must relocate the displaced marine life (SeaPerch fish) and remove the heavy submerged debris (weighted object). At the start of the run, the marine life will be located on the Front Platform, and the debris will be located on the Back Platform.

- Task 3.1: Retrieve and place marine life on the Back Platform.
- Task 3.2: Lift heavy pieces of submerged debris.
- Task 3.3: Place a heavy piece of submerged debris on a hook on the Surface Vessel.



Task 3.1: Retrieve and place marine life on the Back Platform.






Task 3.2 and 3.3: Lift and place heavy pieces of submerged debris on a hook on the Surface Vessel.

## 2.6.7. Task 4: Sample Water Quality

The ROV must retrieve the water sampler and return it to the Surface Vessel. At the start of the run, the water sampler will be open and located on the Back Platform.


**Task 4.1:** Lift and close the water sampler, positioned on the Back Platform.

**Task 4.2:** Place water sampler on a hook on the Surface Vessel.



Task 4.1: Lift and close the water sampler, positioned on the Back Platform.





Task 4.2: Place water sampler on a hook on the Surface Vessel.

## 2.7. General Pool Events Rules

These rules are preliminary for the International SeaPerch Challenge and may be updated prior to the competition. Any updates will be posted here with notations of changes

## 2.7.1. ROV, Spare Parts, and Adjustments

- 1. The team must use the same ROV that was presented at compliance for both pool events.
- 2. Each team must have their own ROV teams are not allowed to share an ROV.
- 3. Teams are not allowed to share ROV attachments or devices.
- 4. Spare parts are allowed; however, spare ROVs are not allowed.
- 5. Any design or structural modifications made to the ROV after a compliance check requires the team to re-submit the ROV for a compliance check.
- 6. No parts or materials, except as noted in this section, may be added to or removed from the ROV between pool events. The ROV must compete in both pool events with the same attachments and parts connected. Violations will result in disqualification.
- 7. Attachments and parts may be repositioned (I.e., rotated or swiveled) between the two pool events. Attachments or parts may not be disconnected and relocated; they must remain connected to the same point on the ROV when they are repositioned.
- 8. The ROV may be worked on or adjusted during competition. This may include adjusting buoyancy by adding or removing buoyancy materials or adding materials like tape or cable ties necessary to secure parts. However, the run timer will continue.
- Replacement of failed or damaged parts is permitted. Teams replacing failed or damaged parts must re-submit their ROV for a compliance check conducted by staff at the Triage or ROV Poolside First Aid Station.
- 10. Passing compliance checks does not guarantee the right to compete. Lead judges in the competition area have the final say on safety and compliance issues and may require teams that have already passed the compliance check to fix issues prior to competing.



## 2.7.2. Auxiliary Equipment, Batteries, and Power Supply

- 1. 12-volt direct current (VDC) power connections for the standard SeaPerch power cable alligator clips will be supplied for each competition lane. This power connection is for the ROV only and is limited to 10 amps; no auxiliary equipment may be connected to this power connection.
- 2. Teams may provide their own battery for the ROV.
- 3. Teams may provide an additional battery for auxiliary equipment such as cameras, advanced controllers, and electromechanical ROV attachments.
- 4. Team supplied batteries must not be larger than 6.5" long x 3" wide x 4" high and must be 12 VDC maximum with a 9-amp hour maximum rating.
- 5. Teams may not bring anything to the pool deck that requires 110-volt or any other alternating current (AC) power. Laptop computers are allowed if they are battery powered and do not need to be plugged into 110-volt power.

## 2.7.3. Diver Assistance and ROV Tether Handling

- 1. The ROV must move only under its own power. The tether may not be pulled to expedite the ROV's navigation of the course.
- 2. If the ROV or tether becomes tangled on the course structure or is otherwise unable to move on its own power, a team member must notify the judge that they would like to try to free the ROV by pulling on the tether. Under this circumstance teams may gently pull on the tether; however, the run timer will continue. If the ROV is pulled by the tether, the ROV must be returned (driven) to the location that it was moved from before it may continue competing.
- 3. The team may ask the judge for diver assistance. If diver assistance is requested the judge will pause the run timer and call for a diver. The judge will restart the run timer when the diver arrives at the lane and begins assisting. There is no longer a two-minute diver assistance penalty. If the ROV is moved, it must be returned to the location that it was moved from before it may continue competing.

#### 2.7.4. On Deck

- 1. Prior arrangements are required for waivers to any of the following rules to accommodate students' special needs. Any special accommodations must be made in advance of the starting date of the International SeaPerch Challenge by contacting seaperch@robonation.org
- 2. All team members and spectators are expected to be respectful of other competitors, spectators, volunteers, judges, and staff.



- 3. Instructions from judges, volunteers, and event staff must be followed at all times on the pool deck. Those not complying with instructions from judges, volunteers, or event staff will be asked to leave the pool area and may risk disqualification of their team from the event.
- 4. Pool passes are required to enter the pool area.
- 5. A maximum of five (5) pool passes will be issued for each team. Any team with more than six members in the pool area without special accommodations risks disqualification from the event.
- 6. Only four (4) student team members are allowed at the competition lane. Only two (2) team members are allowed to participate in the ROV operation at one time. These two (2) team members are considered the competing team members.
- 7. Only competing team members are allowed to communicate with the judges.
- 8. The four team members at the competition lane may switch drivers at any time and as many times as they choose. The lane judge will not stop the timers.
- 9. The remaining two passes are for pool area spectators and can be used by other students (competing later in either the obstacle or mission course), parents, coaches, teachers, or chaperones.
- 10. Once a pool event run starts the pool area team spectator may not enter the competition lane.
- 11. The pool area team spectators must sit or stand behind the designated barrier ribbon.
- 12. Any student team members who are pool area team spectators may switch with the team members at the competition lane between the pool event runs (obstacle and mission course).
- 13. All team members must wear shoes with rubber soles while on the pool deck.
- 14. All team members may help with setup but must exit to their assigned spots before the course run starts. During this set-up period, teams should adjust the ROV's buoyancy and make any other necessary adjustments

#### 2.7.5. Equipment Failure

1. In the event of equipment failure between pool events, a team will be allowed to work on their ROV at an ROV First Aid Station or at Triage.

a)The ROV First Aid Station is intended for quick repairs that can be accomplished in 15 minutes or less. The station will not be equipped with electrical power, so soldering is not allowed.

b)After successful repairs, the team will reenter the competition queue in the front of the line

c)If repairs are not accomplished within the 15-minute time limit, the team must proceed to the pool check-in station and notify the staff that they require Triage. Teams completing repairs in Triage will check-in at the pool check-in station and enter the staging area.

- 2. While competition staff will attempt to accommodate all participants, teams not completing repairs by the last pool event time slots may not be able to compete.
- 3. If an ROV or equipment malfunctions before attempting the first mission task or passing the first obstacle course hoop, the team may elect to stop their run without incurring a time penalty. The team will be allowed to make repairs as described in item 1 of this section.
- 4. If an ROV or equipment malfunctions after attempting the first mission task or passing through the first obstacle course hoop, the team may elect to stop their run. The judge will record the



current run time and notify the lead judge. The lead judge or technical director will evaluate the issue and decide a course of action. If the team is allowed to make repairs and restart their run, they may incur a time penalty equal to their initial run time at the time they stopped their initial run.

### 2.7.6. Disputes, Challenges, and Redress Request

- 1. Portsmanship is always expected.
- 2. Team members and advisors are responsible for the conduct of all members and adults accompanying the team. Unsportsmanlike conduct of registered student team members or chaperones is grounds for the disqualification of a team.
- 3. Teams may not raise questions concerning other competing vehicles or other teams' scores.
- 4. Only the two competing team members may approach or speak to lane judges. Exceptions to this rule are only allowed if prior arrangements have been made to accommodate special needs.
- 5. Team members, chaperones, or spectators may not speak to the divers.
- 6. Team members will verify the time on the scoresheet reflects the time on the stopwatch. If there is a discrepancy, a team member may ask the lane judge for a second opinion. Timing disputes such as a team member claiming the judge did not start or stop the stopwatch at the correct time are not allowable disputes.
- 7. Disputes should be resolved at the time the alleged grievance occurs. However, if students are not able to articulate the alleged grievance, they may ask to speak to the lead course judge. The lead course judge will provide a redress request card that will allow the student and adult team members to meet with the technical director or lead judge to resolve the dispute. Decisions of the technical director or lead judge are final, and the same dispute will not be heard again.
- 8. If an ROV or the course is inadvertently interfered with during the competition, the competing team members should alert the lane judge and ask for a ruling by the lead judge or technical director. These situations will be addressed on a case-by-case basis.

# **SECTION 3: Design Documentation**

2026 International SeaPerch Challenge

The design documentation for 2026 North Africa Regional Competition is delivered before **February 20, 2026** 

#### **Required Documentation:**



- Technical Design Report
- Meet The Team

#### **Optional Documentation**

- Real-world Innovation Poster
- Community Outreach Project
- Presentation Abstract

# 3.1. Technical Design Report

A Technical Design Report (TDR) succinctly describes your unique SeaPerch ROV and the engineering design process, providing insight into the iterative design process and allowing for data analysis that supports the final ROV design.

### 3.1.1. Overview

The TDR consists of seven mandatory sections and two mandatory appendices. The format of the written paper shall adhere to the following guidelines:

- 5 page limit (excluding Acknowledgements, References, and Appendices)
- 8.5 x 11 in. page size
- Margins ≥ 0.8 in.
- Font: Times New Roman 12pt.
- Header on every page including Team Id, Team Name, and Page Number
- Submitted in pdf format

**PRO TIP**: Teams are encouraged to start and keep an Engineering Notebook at the beginning of their SeaPerch build. Submitting an Engineering Notebook is not required for participation in the International SeaPerch Challenge but does help form the basis for creating a well-written TDR. Need some inspiration? Visit <a href="https://seaperch.org/resources/design-process/">https://seaperch.org/resources/design-process/</a> for a few helpful resources.

### 3.1.2. Report Contents

#### **Abstract**

A well-written abstract should concisely explain the key points or essence of your paper and quickly explain to the reader what the paper is about.

#### **Task Overview**



This section should include an overview of the task(s) your ROV will attempt and should discuss the characteristics and features of the tasks that affected the final design. Avoid directly quoting course descriptions or problem statements for real-world applications and instead use your own words to describe what your ROV will/would do within the application

#### **Design Approach**

Given the tasks described in the previous section, describe your team's strategy and approach to developing a novel SeaPerch design. Novelty may occur at various levels of the design and build process including specific components, collections of components, or even team approaches to the process. Focus attention on the creative aspects of your system and how your team conceived of, refined, and implemented these ideas. Describe your experience in making design decisions and how prospective ideas were considered among the team. Include engineering and scientific terms and concepts to demonstrate the team's understanding of the challenges of constructing and operating an underwater ROV.

#### **Experimental Results**

This section should describe various tests accomplished in-water and/or in simulation. What were your results? How did these tests impact your team's subsequent design(s)? Include images, charts, and figures to demonstrate your results.

#### **Reflection & Next Steps**

Reflect on this season's experience. What did you learn? Were there aspects of the project that you particularly enjoyed or that challenged you? How do you think that your new knowledge or experience will assist you in future endeavors? Include a discussion of next steps for the team and/or the team's ROV.

#### Acknowledgements

Participating in the competition involves identifying resources and support beyond the efforts of individual team members. This support can take many forms, such as technical advice, labor, equipment, facilities, and monetary contributions. Acknowledging those who have supported your efforts is important.

#### References

As with any technical publication, original ideas and content not generated by the paper's authors should be properly cited. While there are many citation styles, the American Psychological Association (APA) style guide should be used. Use in-text citations, where appropriate

#### **Budget**



Include all components included in your SeaPerch design and their costs. This budget does not need to include components included in a standard SeaPerch ROV kit. Add as many rows as necessary to complete your budget.

This information may be utilized during compliance checks to determine appropriate competition class and should reflect the total materials cost of your ROV. Costs for 3D printed parts should be priced at \$0.05 per gram.

Component	Vendor	How was component used?	Cost (in USD)
	7 (3	TOTAL COST OF SEAPERCH COMPONENTS	\$

## **3.1.3.** Scoring

This submission is worth 100 points. Guidelines are available in <u>Appendix A: Competition</u> scoresheets and Rubric.

- Abstract 10 points max
- Task Overview 10 points max
- Design Approach 26 points max
- Experimental Results 14 points max
- Reflection & Next Steps 10 points max
- Acknowledgements 4 points max
- References 8 points max
- Budget 4 points max
- Writing Skills 8 points max
- Paper format 6 points max

## 3.2. Meet the team

Connecting with your community is important. We want to get to know you! This is your chance to introduce us to your team and team's personality.

### 3.2.1. Overview

Reach out and share your team or school's logo, an overview of what your team is all about, and social media information so we can share it with the SeaPerch community.



#### **3.2.2.** Content

Teams will be asked to submit the following information:

- Team Name, organization, and location
- Team/School/Organization logo/icon (submitted as PNG image)
- One paragraph (100 words max) team bio/overview

NOTE: Team bios will not be edited to correct any spelling and/or grammatical errors before posting, so put your best foot forward and proofread your entry carefully.

Fact Sheet (PowerPoint slide template, please save as PDF for registration):

- Image or drawing of the team's SeaPerch ROV design
- Competition Class (i.e., Middle School Stock Class, High School Stock Class, Open Class)
- Overview of SeaPerch Design: Provide a high-level explanation of your SeaPerch design
- Number of years your team has participated in the SeaPerch program (this should include years that you have been involved in building a SeaPerch and/or competed in a SeaPerch competition)
- Number of times your team has competed at the International SeaPerch Challenge including your anticipated participation at the 2026 Challenge (i.e., Put 1 year if this is your 1st year)
- Complete the statement "Our SeaPerch is unique because..."; highlight what you think makes your design innovative
- Complete the statement "Our biggest takeaway this season is..."; focus on your team's experience and what you learned from working together on your design
- Website link (optional)\*
- Organization's social media link (Facebook, Twitter, Instagram, LinkedIn) (optional)\*

## **3.2.3.** Scoring

This is not a scoring event. We will include this information on the 2026 International SeaPerch Challenge webpage.

# **Optional Templates**

<sup>\*</sup>Acknowledgement certifying that photographs or videos given as part of this entry only include team members who have submitted a Photographic Release Form signed by a parent/guardian.



## 3.3. Real-World Innovation Poster (Optional)

The Real-World Innovation Poster is an **optional** component of the International SeaPerch Challenge.

This event challenges teams to explore real-world applications for underwater ROVs. Teams are invited to identify a real-world issue and design a SeaPerch ROV to address the issue. To present their project, teams will create a virtual poster. These posters may include anything from a conceptual design to a full project conducted in the real world.

#### 3.3.1. Overview

Teams that choose to participate in this optional event must submit a virtual PDF poster. The following rules apply for this poster submission:

- Posters should have dimensions of 4'wide x 3'tall and must be submitted in PDF format.
- Optional templates are provided below for teams to use; however, teams are encouraged to create their own templates or modify these to best communicate their respective projects.
- There are no specific requirements for section headers or space allocated for each section.

#### **3.3.2.** Content

Posters will be rated on the following areas:

- Project Overview: An overview of their project, approach, and findings
- Background & Rationale: The team's motivations for conducting the project
- Approach: Justification for the team's approach to the project
- Discussion & Reasoning: Evidence supporting the team's approach and modifications to their project
- Next Steps: Thoughtful consideration of new questions and next steps for the team's project
- Use of Graphics: Use of images, charts, and figures to support the poster's text
- Organization: Content organization
- Creativity: The creativity of the project and innovative approach to a real-world issue
- Overall Quality: The poster effectively conveys the project and approach

Optional Poster template is available in Appendix A: Competition Scoresheets & Rubrics

#### **3.3.3.** Scoring

Top scoring posters will receive awards. Submitted posters will also be open for public voting and will be eligible for "Fan Favorites" awards.



- Posters should have dimensions of 4'wide x 3'tall and must be submitted in PDF format.
- Optional templates are provided below for teams to use; however, teams are encouraged
  to create their own templates or modify these to best communicate their respective
  projects.
- There are no specific requirements for section headers or space allocated for each section.

## 3.4. Community Outreach Project (Optional)

The Community and Outreach event is an **optional** component of the International SeaPerch Challenge.

#### 3.4.1. Overview

Giving back to your community can take many forms. Find a good fit between what you are passionate about (or good at) and how that can meet a need in your community. Increase awareness of a topic that you care about. Get others excited about your cause or unite them in support of a common goal.

#### **3.4.2. Content**

Share your special skills and interests with others who could benefit from them. In the process, you will hone your communication skills, deepen your own understanding and appreciation, and feel a personal sense of pride and accomplishment. You may even inspire others to join you!

#### **STEM-Related Ideas:**

- Serve as a near-peer virtual mentor or tutor to other students who are building SeaPerch ROVs or who need extra help in other STEM areas
- Volunteer to be a student assistant in a robotics or STEM enrichment club at your school
- Help develop an exhibit for a science museum or STEM center
- Create a website for people to learn more about ROVs and their real-world applications
- Volunteer to participate in the clean-up of a local waterway
- Write an article for your local newspaper highlighting your team and how you have made it to this year's International SeaPerch Challenge

#### **General Ideas:**

- Volunteer at a local animal shelter
- Collect canned/non-perishable goods for donation to a local food bank
- Send cards or letters to nursing home residents
- Contact your local community center and inquire about available volunteer opportunities
- Create a social media post or a team promo video to highlight your effort or get the word out



#### 3.4.3. Submission Instructions

Teams that choose to participate in this optional give back event and outreach will be asked to submit the following resources:

- **Description of the team's activity** (one-page max, submitted as PDF): To capture important details, think about the 5 Ws as you write, explaining, at a minimum, the Who, What, When, Where, and Why of your outreach activity. What inspired you? Why was this important to you? You might also tell us about any future plans you have or share the impact of your efforts.
- Supporting photos or documents\* (optional with three file uploads max.)
- Supporting reference link to a video, website, article, etc. (optional)

## **3.4.4. Scoring**

Submissions will not be scored but may be considered for a special award.

# **SECTION 4: On-site Pitching**

2026 International SeaPerch Challenge

Each team will be required to perform a 5-minute pitch presenting their work, the pitch will be followed by 10 minutes of Q&A for evaluation by the judging panel.

#### Overview

Each team will be asked to present a pitching to a judging panel within 5 minutes, and the judges have 10 minutes for questions and evaluation.

• The competition will provide a data show for presenting.

<sup>\*</sup>Acknowledgement certifying that photographs or videos given as part of this entry only include team members who have submitted a Photographic Release Form signed by a parent/guardian.



- The team can use any software or hardware requirements to help them in the purpose of the pitching.
- The team may present in Arabic or English with no additional score.

#### Content

- **Problem/ opportunity:** in which the team describes the problems that they solve in the competition
- Your solution description: in which the team gives an overall description of your solution
- **Solution features:** in which the team shows their vehicle features to solve the problem and how the solution is special.
- Progress status: in which the team shows the progress of their solution, vehicle,
- **Future plan:** in which the team give a brief on where they are going to forward in the development of the solution
- The team: by showing the team members, their field of experience and their roles in the team

#### **Scoring**

This submission is worth 20 points. Guidelines are available in <u>Appendix A: Competition Scoresheets and Rubric</u>.

# **SECTION 5: Scoring & Awards**

2026 International SeaPerch Challenge

# 5.1. Competition Awards

Awards will be given to top performers in each class as well as those who have demonstrated exemplary skills in special award categories.

#### **Class Champions:**

Top team in each class (1 per class) (3 total awards)



#### Competition Events (TDR/Mission/Obstacle):

TDR (1st, 2nd, 3rd for each competition class) (9 awards)

Mission Course (1st, 2nd, 3rd for each competition class) (9 awards)

Obstacle Course (1st, 2nd, 3rd for each competition class) (9 awards)

## **Real-World Innovation Poster (TBC):**

Top teams in the Real-World Innovation event - First, second, third (3 total awards)

Fan Favorites - middle school and high school teams from public judging (2 total awards)

#### **Community & Outreach (TBC)**

Top team in the Community and Outreach event – not related to class (1 total award)

## **5.2. Special Awards**

Teams may be nominated for Special awards during pre-event submission judging and on-site at the competition. A nomination form will be available on-site for all participants, advisors, volunteers, staff, and spectators to nominate teams for these awards.

#### **Sportsmanship Award**

This award recognizes individuals or teams who demonstrate a commitment to fair play, ethical behavior and integrity, and general goodwill towards others. Recipients of this award may be coaches, team members, parents, officials or anyone else that tournament officials or directors feel exhibit these traits.

#### **Resiliency and Grit Award**

As the name implies, this award is given to an individual or team who displays the dynamic ability to recover quickly from challenges. Recipients maintain control of a difficult situation and devise new ways to tackle a problem, all while showing courage and resolve or strength of character.

#### Ingenuity



This award is given for a team's exceptional creativity, either through some aspect of their ROV, or an extraordinary idea beyond the standard build. This award acknowledges and encourages creative thinking and risk-taking; recipients embody the principle of "thinking outside the box" to solve engineering problems.

## 5.3. Courses Scoring

#### **Obstacle Course Scoring**

Teams are ranked based on time.

#### **Mission Course Scoring**

A maximum of 110 points can be earned on the Mission Course through successfully completing tasks with bonus points awarded for completion of the course under a time limit. Points are not official until verified by master scorekeeper.

Points will be earned at completion of each task action. If tasks are disturbed in subsequent actions, teams will still earn the points for completion.

#### **Task Points**

Tasks can be completed for a total of 100 points divided across the tasks as follows:

Task 1: Inspect the Bridge has a max of twenty-six (26) points.

- 1A Ten (10) points for hooking the red marker float on the right rear bridge pillar.
- 1B Two (2) points for sliding the cover pipe partially onto the red stripe to fix the support beam.
- 1C Six (6) points for fully sliding the cover pipe completely covering the red stripe to fix the support beam.
- 1D Eight (8) points for releasing the green marker float.

**Task 2**: Survey the Dam has a max of twenty-four (24) points.

- 2A Four (4) points for removing the plug from the surface vessel.
- 2B Twelve (12) points for placing the plug in the hole on the slanted dam wall.
- 2C Eight (8) points for rotating the flood gate cover to close the flood gate.

Task 3: Clear the Debris Field has a max of thirty-eight (38) points.

- 3A Four (4) points for removing the marine life from the Front Platform
- 3B Eight (8) points for placing the marine life on the Back Platform.
- 3C Six (6) points for removing the heavy piece of submerged debris from the Back Platform.
- 3D Twenty (20) points for placing the heavy piece of submerged debris on a hook on the Surface Vessel.

**Task 4**: Sample Water Quality has a max of twelve (12) points.



- 4A Four (4) points for removing the water sampler from the Back Platform.
- 4B Eight (8) points for placing water sampler on a hook on the Surface Vessel.

#### **Time Bonus Points**

Teams may earn bonus points for successfully completing all tasks in less than 6 minutes. Bonus points are based on adjusted finished time including any time penalties incurred during the run. Bonus points are applied for:

- Ten (10) points for finish times less than 4 minutes
- Five (5) points for finish times less than 6 minutes

#### Scoresheet

The mission course scoresheet is available in <u>Appendix A: Competition Scoresheets & Rubric-Mission</u>

Course Scoresheet

## 5.4. Technical Design Report Scoring

Points will be earned at completion of each task action. If tasks are disturbed in subsequent actions, teams will still earn the points for completion.

This submission is worth 100 points.:

- Abstract 10 points max
- Task Overview 10 points max
- Design Approach 26 points max
- Experimental Results 14 points max
- Reflection & Next Steps 10 points max
- Acknowledgements 4 points max
- References 8 points max
- Budget 4 points max
- Writing Skills 8 points max
- Paper format 6 points max

The following Scoring Guidelines are provided to evaluate the Technical Design Report.

- Mission Components (0 points): Requirements missing does not meet minimum requirements.
- Basic (2 points): Meets basic requirements. Average (60-75%)
- Satisfactory (3 points): Meets all requirements with additional content. Above Average (85%)
- Robust (4 points): Exceeds requirements with additional content, material, formatting. Superior (95%)



# 5.3. On-site Pitching Scoring

- This submission is worth 50 points.:
- Organizing 5 points max
- Presenting 5 points max
- Responding to questions 10 points max
- Problem Statement and solution 10 points max
- Describing technical and mechanical features and control system 10 points max
- Progress status 5 points max
- Future 5 points max

Guidelines are available in Appendix A: Competition Scoresheets and Rubric.



# **SECTION 6: Appendices**

2026 International SeaPerch Challenge

- Appendix A: Competition Score Sheets & Rubrics
- Appendix B: Compliance Checklist
- Appendix C: Competition Classes Overview

## **6.1. Appendix A: Competition Scoresheets & Rubrics**

**Pool Course Scoresheets – Mission Course** 

**Document Link** 

**Pool Course Scoresheets – Obstacle Course** 

**Document Link** 

**Onsite Pitching Scoresheets** 

**Document Link** 

**Technical Design Report Scoring Rubric** 

**Document Link** 

**Real-World Innovation Scoring Rubric** 

**Document Link** 

**Real-World poster optional Template** 

**Document Link** 

# 6.2. Appendix B: Compliance Checklist

TEAM NUMBER (if used)	
Team	
ORG/SCHOOL	
CLASS/DIVISION	
JUDGE	



No parts or attachments (except buoyancy material) may be removed or added after the compliance check, but attachments may be repositioned.

Design must follow Competition Classes and Design Rules.

## 6.2.1. Design Compliance

#### **Stock and Open Classes**

- Requires only one standard power source for propulsion. Battery limited to one12VDC, 9Ah max battery no larger than standard SeaPerch battery.
- Uses no more than one additional external battery of 12VDC, 9Ah max no larger than standard SeaPerch battery for auxiliary equipment
- Uses only standard SeaPerch kit motors or exact replacement for propulsion

#### **Stock Classes Specific**

- Maximum of 3 standard motors for propulsion
- ROV meets maximum \$25 (value) budget limit for modifications

#### Safety

- No exposed live wires on controllers, SeaPerch ROV or tether cable
- No sharp edges or potentially hazardous parts
- Motors are sealed (waterproofed)
- Power cable has insulated covers on alligator clips or terminals
- Construction
- No loose parts that could potentially fall off during competition
- Tether cable is secured to ROV

As team captain/coach, I agree to assure that my team will not make modifications to the ROV system after the compliance check.

Team Captain or Coach's Name:	
Signature:	



## 6.3. Appendix C: Competition Classes Overview

The 2026 International SeaPerch Challenge will include three (3) competition classes. These classes are updated from past years so please review the chart below carefully. Please note, stock classes are limited to PVC, CPVC, and PEX pipe for the ROV frame and may not include 3D printed frames, or frame parts. Frame parts are any parts that add structural integrity to the frame or connect frame parts together. For stock classes, 3D printed parts may not extend the frame to attach other 3D printed parts, this will be considered a frame part.

Rules	Middl e School Stock Class	High School Stock Class	Open Class
BUDGET*			
The total cost of modifications to the final ROV must be \$25 or less	Х	Х	
The cost of modifications may exceed \$25			X
MATERIALS			
Frame built using <u>only</u> PVC, CPVC, PEX pipe and fittings. Any size pipes and pipe fittings may be used. Pipes and pipe fittings may be modified using hand and power tools.	х	х	
Frame parts may be modified using using CNC or other automated process.			х
Frame may include 3D printed or additive manufactured parts as well as other materials, and may be made using CNC machinery or other automated process.			X
Attachments and non-frame parts (i.e., hook, gripper, propeller shroud) may be made from various materials to include 3D printed or additive manufactured parts. For stock classes, the majority of the parts used must be pipes and pipe fittings. (i.e. a single pipe fitting used for the frame with 3D printed parts for motor mounts is not allowed).	х	х	х
POWER SUPPLY			
Must design for and utilize a 12-volt power source	X	Х	X
May utilize a second power source (no more than 12-volts) to power auxiliary equipment	Х	X	X
MOTORS			
All motors must be waterproofed	Х	Х	Х



Must use ONLY stock SeaPerch motors (Jameco Electronics 232022) for propulsion**	X	X	X
Additional non-stock motors may be used for non-propulsion uses	Х	Х	Х
May include more than 3 thrusters (i.e., motor and propeller assembly) for propulsion			Х
May use custom propellers	Х	Х	Х



Rules	Middl e School Stock Class	High School Stock Class	Open Class
CONTROLLERS			
Must only use simple on/off switches for thruster controls	Х	Х	
May use power conditioning or pulse-width modulation (PWM) controls for thruster controls			X
May use PWM, microcontrollers, or other devices for non-propulsion** controls	X	X	X
May use a fixed or variable resistor to reduce voltage	X	X	X
STRUCTURE/SIZE			
Must fit in the Surface Vessel and must be capable of passing through the Obstacle Course hoops. (see Section Pool Competition section)	X	X	X
COMPETITION CRITERIA			
If ROV is modified after compliance check (except for adding/removing buoyancy), it must be presented for a re-compliance check.	X	X	X
The same ROV must be used for both pool events	X	X	X
Team may include a student in 8 <sup>th</sup> grade or below	X	X	X
Team may include a student in 9 <sup>th</sup> grade or above		X	X

<sup>\*\*</sup> Propulsion - Force directly exerted against the water that causes the ROV to translate or rotate in any direction.

#### **Budget Guidelines:**

The budget covers only items installed on the competition ROV and its controller that are not included in the standard SeaPerch kit.

## What to count in Budget?

- Non-kit parts and materials installed on the ROV or controller (electronics, hardware, buoyancy, wiring, connectors, fasteners, adhesives, coatings, enclosures, mounts, etc.).
- Substitutes for kit items (if you replace a kit part with a different part, the substitute counts).
- Custom parts made by the team (e.g., brackets, housings), valued per the rules below.
- Cameras mounted to the ROV, cabling, monitor, mobile device, computer, and any support equipment count toward the budget.
- Bulk purchases: Prorate only the portion actually used on the competition vehicle.



#### What not to count in Budget?

- Standard SeaPerch kit parts used as intended.
- Spares and tools (meters, soldering supplies, jigs, drill bits, blades, printers, etc.).
- Prototype-only materials/parts not installed on the competition vehicle.
- Consumables/incidentals used in manufacturing but not present on the final vehicle (support material removed, sandpaper, tape used only during assembly).

### **Pricing Rules?**

- Retail/sale price basis: Use the lowest verifiable retail price available to the public. Attach a link, screenshot, or receipt.
- Donations / free items: Count at the same retail price you would otherwise have paid (documentation required).
- Bulk/pack items: Prorate by unit (e.g., 2 of 10 screws from a pack of 50; price = 2 × (pack price/50)).
- Shipping/tax: Exclude ordinary shipping and sales tax from the budget total.
- 3D-printed parts: Cost at \$0.02 per gram of the final installed part(s) only (exclude supports and failed prints).

#### **Rules for 3D Printed Parts:**

- Please note, stock classes are limited to PVC, CPVC, PEX, and other plastic pipe and fittings for the ROV frame and may not include 3D printed frames, or frame parts.
- 3D printed parts that add structural integrity to the frame or connect to more than one frame part shall not be allowed in stock class.
- A 3D printer assembly that consists of more than one part and that connects to more than one frame part shall not be allowed in stock class.
- For stock classes, 3D printed parts may not extend the frame to attach other 3D printed parts, this will be considered a frame part.